

# **SAFETY DATA SHEET**

Creation Date 24-Apr-2009 Revision Date 24-Dec-2021 Revision Number 9

1. Identification

Product Name Molecular Biology Grade Ethanol

Cat No.: BP2818-4, BP2818-100, BP2818-500; BP2818-212; BP2818-4AC22

**CAS No** 64-17-5

**Synonyms** Ethyl alcohol; Absolute ethanol

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

### Details of the supplier of the safety data sheet

### Company

Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

### **Emergency Telephone Number**

CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887

### 2. Hazard(s) identification

### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids Category 2
Serious Eye Damage/Eye Irritation Category 2

### Label Elements

## **Signal Word**

Danger

#### **Hazard Statements**

Highly flammable liquid and vapor Causes serious eye irritation



### **Precautionary Statements**

#### Prevention

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Wear eye/face protection

Do not breathe dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Keep cool

### Response

IF exposed or concerned: Get medical attention/advice

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

#### Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

### Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

# Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

#### Disposal

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

WARNING. Cancer and Reproductive Harm - https://www.p65warnings.ca.gov/.

# 3. Composition/Information on Ingredients

Component	CAS No	Weight %
Ethyl alcohol	64-17-5	99-100

### 4. First-aid measures

**General Advice** If symptoms persist, call a physician.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and

effects

Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

Treat symptomatically

**Notes to Physician** 

### 5. Fire-fighting measures

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may

be used to cool closed containers.

Unsuitable Extinguishing Media Water may be ineffective, Do not use a solid water stream as it may scatter and spread fire

**Flash Point** 12 °C / 53.6 °F

Method - No information available

Autoignition Temperature 363 °C / 685.4 °F

**Explosion Limits** 

**Upper** 19 vol % **Lower** 3.3 vol %

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

#### **Specific Hazards Arising from the Chemical**

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Vapors may form explosive mixtures with air.

### **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO2).

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health	Flammability	Instability	Physical hazards
2	3	1	N/A

### 6. Accidental release measures

Personal Precautions Use personal protective equipment as required. Ensure adequate ventilation. Remove all

sources of ignition. Take precautionary measures against static discharges.

**Environmental Precautions** Should not be released into the environment. Do not flush into surface water or sanitary

sewer system.

**Methods for Containment and Clean** Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. **Up**Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

# 7. Handling and storage

**Handling** Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on

clothing. Ensure adequate ventilation. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded.

Take precautionary measures against static discharges.

**Storage.** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from

open flames, hot surfaces and sources of ignition. Flammables area. Keep away from heat, sparks and flame. Incompatible Materials. Strong oxidizing agents. Strong acids. Acid anhydrides. Acid chlorides.

### 8. Exposure controls / personal protection

#### **Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Ethyl alcohol	STEL: 1000 ppm	(Vacated) TWA: 1000 ppm	IDLH: 3300 ppm	STEL: 1000 ppm
		(Vacated) TWA: 1900 mg/m <sup>3</sup>	TWA: 1000 ppm	
		TWA: 1000 ppm	TWA: 1900 mg/m <sup>3</sup>	
		TWA: 1900 mg/m <sup>3</sup>		

### Legend

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration

NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Ensure adequate ventilation, especially in confined areas. Use explosion-proof **Engineering Measures** 

electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers

are close to the workstation location.

**Personal Protective Equipment** 

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure.

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard **Respiratory Protection** 

> EN 149, Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Handle in accordance with good industrial hygiene and safety practice. **Hygiene Measures** 

### 9. Physical and chemical properties

**Physical State** Liquid

**Appearance** Clear, Colorless

Odor Alcohol

**Odor Threshold** No information available

7 @ 20°C 10g/l ag.sol Ha

-114 °C / -173.2 °F Melting Point/Range **Boiling Point/Range** 78 °C / 172.4 °F 12 °C / 53.6 °F **Flash Point** 

**Evaporation Rate** No information available Flammability (solid,gas) Not applicable

Flammability or explosive limits

Upper 19 vol % 3.3 vol % Lower 59 kPa @ 20°C **Vapor Pressure** 

Vapor Density No information available **Specific Gravity** 0.785 g/cm3 @20°C

Solubility miscible

Partition coefficient; n-octanol/water No data available 363 °C / 685.4 °F **Autoignition Temperature Decomposition Temperature** No information available **Viscosity** No information available

### **Molecular Biology Grade Ethanol**

Molecular Formula C2 H6 O Molecular Weight 46.07

**VOC Content(%)** 100% (Organic Carbon (by mass) = 52.1 %) (EC/1999/13)

### 10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Hygroscopic.

Conditions to Avoid Incompatible products. Heat, flames and sparks. Keep away from open flames, hot

surfaces and sources of ignition.

Incompatible Materials Strong oxidizing agents, Strong acids, Acid anhydrides, Acid chlorides

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)

**Hazardous Polymerization** Hazardous polymerization does not occur.

**Hazardous Reactions**None under normal processing.

### 11. Toxicological information

#### **Acute Toxicity**

### **Product Information**

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethyl alcohol	LD50 = 10470 mg/kg	Not listed	LC50 = 117-125 mg/l (4h)
	OECD 401 (Rat)		OECD 403 (rat)
	3450 mg/kg ( Mouse )		20000 ppm/10H (rat)

Toxicologically Synergistic

**Products** 

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Irritating to eyes

Sensitization No information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico		
Ethyl alcohol	64-17-5	Not listed	Known	A3	Not listed	A3		
IARC (Internationa	al Agency for Resea	arch on Cancer)	IARC (Inter	national Agency for F	Research on Cancer)			
				arcinogenic to Huma				
				Probably Carcinoger				
				Possibly Carcinogen				
NTP: (National To	xicity Program)			nal Toxicity Program	1)			
				own Carcinogen				
			,	,	nably Anticipated to	be a Human		
400111 /4	0 6 60		Carcinogen					
` .	n Conference of Go	vernmental Industr		Human Carcinogen				
Hygienists)				A2 - Suspected Human Carcinogen				
				A3 - Animal Carcinogen ACGIH: (American Conference of Governmental Industrial Hygienists)				
OCHA (Occupation	anal Cafatus O Haalth	A dualiziatuatian)						
ОЅНА: (Оссиратіс	onal Safety & Health	n Administration)	,	OSHA: (Occupational Safety & Health Administration) X - Present				
Maxiaa Oagunat	ional Evnacura Lim	ita Carainagana						
імехісо - Оссиран	Mexico - Occupational Exposure Limits - Carcinogens			Mexico - Occupational Exposure Limits - Carcinogens A1 - Confirmed Human Carcinogen				
				A2 - Suspected Human Carcinogen				
				A3 - Confirmed Animal Carcinogen				
				assifiable as a Huma				
				spected as a Human	U			
			A0 - NOI 30	specieu us a muman	i Garoniogen			

### **Molecular Biology Grade Ethanol**

**Mutagenic Effects** No information available

No information available. Reproductive Effects

**Developmental Effects** No information available.

**Teratogenicity** No information available.

STOT - single exposure None known STOT - repeated exposure None known

**Aspiration hazard** No information available

delayed

Symptoms / effects, both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

No information available **Endocrine Disruptor Information** 

Other Adverse Effects The toxicological properties have not been fully investigated.

### 12. Ecological information

#### **Ecotoxicity**

Do not empty into drains.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Ethyl alcohol	EC50 (72h) = 275 mg/l	Fathead minnow	Photobacterium	EC50 = 9268 mg/L/48h
	(Chlorella vulgaris)	(Pimephales promelas)	phosphoreum:EC50 = 34634	EC50 = 10800  mg/L/24h
		LC50 = 14200 mg/l/96h	mg/L/30 min	_
		_	Photobacterium	
			phosphoreum:EC50 = 35470	
			mg/L/5 min	

Persistence is unlikely based on information available. Persistence and Degradability

**Bioaccumulation/ Accumulation** No information available.

Will likely be mobile in the environment due to its volatility. **Mobility** 

Component	log Pow
Ethyl alcohol	-0.32

### 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

### 14. Transport information

DOT

UN1170 **UN-No ETHANOL Proper Shipping Name** 

**Hazard Class Packing Group** Ш

TDG

UN1170 **UN-No Proper Shipping Name ETHANOL** 

**Hazard Class** 3 Ш **Packing Group** 

IATA

**UN-No** UN1170 **Proper Shipping Name ETHANOL** 

### **Molecular Biology Grade Ethanol**

Hazard Class 3
Packing Group ||

IMDG/IMO

UN-No UN1170
Proper Shipping Name ETHANOL

Hazard Class 3
Packing Group II

## 15. Regulatory information

### United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Ethyl alcohol	64-17-5	X	ACTIVE	-

#### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

oubotanoes a mixtures, ender 100

TSCA 12(b) - Notices of Export

Not applicable

### **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Ethyl alcohol	64-17-5	Х	-	200-578-6	Х	Х	Х	Х	Х	KE-13217

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

### U.S. Federal Regulations

SARA 313 Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

**OSHA** - Occupational Safety and

**Health Administration** 

Not applicable

CERCLA Not applicable

California Proposition 65 This product contains the following Proposition 65 chemicals. Ethyl alcohol is only a

considered a Proposition 65 developmental hazard when it is ingested as an alcoholic

beverage.

Component	CAS No	California Prop. 65	Prop 65 NSRL	Category
Ethyl alcohol	64-17-5	Development (alcoholic	-	Developmental
1 1		beverages only)		Carcinogen
		Carcinogen		_

### U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Ethyl alcohol	X	X	X	X	X

**U.S. Department of Transportation** 

Reportable Quantity (RQ): Ν **DOT Marine Pollutant** Ν **DOT Severe Marine Pollutant** Ν

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

**Mexico - Grade** Serious risk, Grade 3

Authorisation/Restrictions according to EU REACH Not applicable

	Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization		REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Ī	Ethyl alcohol	64-17-5	-	-	=

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Ethyl alcohol	64-17-5	Listed	Not applicable	Not applicable	Not applicable
Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities	Seveso III Directive (2012/18/EC) - Qualifying Quantities	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)

- 1	Component	CASINO	Seveso ili Directive	Seveso ili Directive	Rollerdaili	Daser Convention
			(2012/18/EC) -	(2012/18/EC) -	Convention (PIC)	(Hazardous Waste)
			Qualifying Quantities	Qualifying Quantities		
			for Major Accident	for Safety Report		
			Notification	Requirements		
	Ethyl alcohol	64-17-5	Not applicable	Not applicable	Not applicable	Annex I - Y42

### 16. Other information

**Prepared By** Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

24-Apr-2009 **Creation Date** 24-Dec-2021 **Revision Date** 24-Dec-2021 **Print Date** 

This document has been updated to comply with the US OSHA HazCom 2012 Standard **Revision Summary** 

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS). SDS sections

updated. 2.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

Revision	Date	24-Dec	c-2021
----------	------	--------	--------

**End of SDS**