
Page: 1 of 3 Date Printed: 8/16/00

# MSDS - Material Safety Data Sheet

# Product Name: Velva Sheen

MSDS No.: 130



#### Health Hazards (Acute and Chronic):

Excessive inhalation may cause minimal irriation, drowsiness, headache, and nausea.

#### Signs and Symptoms:

Excessive inhalation may cause minimal irriation, drowsiness, headache, and nausea. Prolonged skin contact may cause dermatitis. May cause minimal eye irriation.

#### Medical Conditions Generally Aggravated by Exposure:

Preexisiting skin and eye conditons

## **Emergency and First Aid Procedures:**

Contact with eyes- flush with large amounts of water. Contact with skin: wash with soap and water. If swallowed do not induce vomiting, call physician. With excessive inhalation remove to fresh air.

#### Other Health Warnings:

None Known

Page: 2 of 3 Date Printed: 8/16/00

# MSDS - Material Safety Data Sheet

# Product Name: Velva Sheen

MSDS No.: 130

## V. Fire Fighting Measures:

Flash Point: 201 F Lower Explosive Limit: NE Upper Explosive Limit: NE

Fire Extinguishing Media: Carbon Dioxide, Foam, Dry Chemical. Water not recommended

### **Special Fire Fighting Procedures:**

Suitable protective equipment for combating hydrocarbon fires.

#### **Unusual Fire and Explosion:**

Possible Dense Smoke. This material will not explode spontaneously.

## VI. Accidental Release Measures:

#### Steps to be Taken in Case Material is Released or Spilled:

Wipe dry or absorb with suitable material. Do not leave surface slippery. Disposal of rags or other absorbents must be in accordance with federal, state, and local hazardous waste regulation.

# VII. Handling and Storage:

### Precautions to be Taken:

Keep away from heat and open flame

#### Other Precautions:

None Known

## VIII. Exposure Controls/Personal Protection:

### **Ventilitation Requirements:**

Local exhaust. Do not use in a closed confined space.

### **Personal Protective Equipment:**

Oil resistant gloves optional

Eye Protection Precatuions should be taken to avoid product from splashing into eyes. Safety goggles or face shield optional.

## IX. Physical and Chemical Properties:

Boiling Point: 500F Melting Point: NE Evaporation Rate: NE

Vapor Pressure (mm Hg.): <1mm Vapor Density (AIR = 1): NE

Solubility In Water: Nil

Apprearance and Odor: Pale Amber, no objectionable odor

Other Information: None Known

# X. Stability and Reactivity:

#### Stability:

Stable

### Incompatibility (Materials to Avoid):

Incompatible with strong oxidizing agents such as nitric acid, hydrogen peroxide, and chromic acid.

## Page: 3 of 3 Date Printed: 8/16/00

# MSDS - Material Safety Data Sheet

# Product Name: Velva Sheen

MSDS No.: 130

### **Decomposition/By Products:**

Carbon minoxide, coumustion products or nitrogen and sulfur.

#### **Hazardous Polymerization:**

Will not occur

# XI. Toxicological Information:

None Known

## XII. Ecological Information:

None Known

## XIII. Disposal Considerations:

Disposal according to all pertaining hazardous waste regulations.

## XIV. Transport Information:

None Known

# XV. Regulatory Information:

None Known

## XVI. Other Information:

The information accumuated herein is believed to be accurate, but is not warranted to be, whether originated from the company or not. Reciepients are advised to confirm, in advanced of their need, that the information is current, applicable and suitable and suitable to their circumstances

EMERGENCY TELEPHONE NO. 419-524-5112 Distributed by-G & L Supply 139 N. Diamond St. Mansfield, Oh 44901 The Janton Company 1288 N. High St. Columbus, Oh 43201