SAFETY DATA SHEET



1. Identification

Il laonanou da la			
Product identifier	Gunk Engine Cleaner & De	grease - Multi Sເ	urface
Other means of identification			
SDS number	EBT32		
Part No.	EBT32, EBT32ES, EBT-1G		
Tariff code	3402.20.5100		
Recommended use	Cleaner Degreaser		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier/	Distributor information		
Manufacturer			
Company name Address	RSC Chemical Solutions 600 Radiator Road Indian Trail, NC 28079 United States		
Telephone	Customer Service: Technical:	(704) 821-7643 (704) 684-1811	
Website E-mail	www.rscbrands.com sds@rscbrands.com		
Emergency phone number	Emergency Telephone: Emergency Contact:	(303) 623-5716 RMPDC (877-74	0-5015)
2. Hazard(s) identification			
Physical hazards	Not classified.		
Health hazards	Skin corrosion/irritation		Category 2
	Serious eye damage/eye irrit	ation	Category 1
	Sensitization, skin		Category 1
Environmental hazards	Hazardous to the aquatic env hazard	vironment, acute	Category 3
	Hazardous to the aquatic envious to the aquatic environment of the second secon	vironment,	Category 3
OSHA defined hazards	Not classified.		
Label elements			
Signal word	Danger		
Hazard statement	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Harmful to aquatic life with long lasting effects.		
Precautionary statement			
Prevention		kplace. Avoid rele	ly after handling. Contaminated work clothing must ease to the environment. Wear eye protection/face
Response	If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.		
-			

- **Storage** Store away from incompatible materials.
- **Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

None known.

2.65% of the mixture consists of component(s) of unknown acute oral toxicity. 3.77% of the mixture consists of component(s) of unknown acute dermal toxicity. 5.95% of the mixture consists of component(s) of unknown acute inhalation toxicity. 9% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 9% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients

Vixtures			
Chemical name	Common name and synonyms	CAS number	%
2-(2-butoxyéthoxy) Éthanol		112-34-5	5 - < 10
Alcohols, C12-16, Ethoxylated (>1 <2.5 Mol Eo)		68551-12-2	1 - < 3
Alcohols, C9-11, ethoxylated		68439-46-3	1 - < 3
Sodium Carbonate (soda Ash)		497-19-8	< 0.3
Tetrasodium Ethylenediaminetetraacetate		64-02-8	< 0.3
Soda, Caustic		1310-73-2	< 0.1
Sodium Chloride		7647-14-5	< 0.1
Other components below reportable I	evels		90 - 100

Other components below reportable levels

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for	Prevent product from entering drains.		
containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.		
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.		
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.		
Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.		
7. Handling and storage			
Precautions for safe handling	Do not get this material in contact with eyes. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.		
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).		

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

At this time, the other constitu	ents have no known exposure limits.		
US. OSHA Table Z-1 Limits t Components	for Air Contaminants (29 CFR 1910.1) Type	000) Value	
Soda, Caustic (CAS 1310-73-2)	PEL	2 mg/m3	
US. ACGIH Threshold Limit Components	Values Type	Value	Form
2-(2-butoxyéthoxy) Éthanol (CAS 112-34-5)	TWA	10 ppm	Inhalable fraction and vapor.
Soda, Caustic (CAS 1310-73-2)	Ceiling	2 mg/m3	
US. NIOSH: Pocket Guide to			
Components	Туре	Value	
Soda, Caustic (CAS 1310-73-2)	Ceiling	2 mg/m3	
ological limit values	No biological exposure limits noted for	r the ingredient(s).	
propriate engineering ntrols	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station. Eye wash fountain and emergency showers are recommended.		
lividual protection measures,	such as personal protective equipm	ent	
Eye/face protection	Wear safety glasses with side shields (or goggles) or a face shield.		
Skin protection			
Hand protection	Wear appropriate chemical resistant gloves.		
Other	Wear appropriate chemical resistant of	clothing. Use of an impervious	apron is recommended.
Respiratory protection	Chemical respirator with organic vapo Dust mask.	or cartridge and full facepiece i	f threshold limits are exceeded

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene
considerationsAlways observe good personal hygiene measures, such as washing after handling the material
and before eating, drinking, and/or smoking. Routinely wash work clothing and protective
equipment to remove contaminants. Contaminated work clothing should not be allowed out of the
workplace.

9. Physical and chemical properties

9. Physical and chemical	properties
Appearance	Clear. Liquid
Physical state	Liquid.
Form	Liquid.
Color	Light yellow.
Odor	Citrus
Odor threshold	Not available.
рН	8.3
Melting point/freezing point	-90.58 °F (-68.1 °C) estimated / 32 °F (0 °C)
Initial boiling point and boiling range	446.72 °F (230.4 °C) estimated
Flash point	No Flash Point
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	0.002 hPa estimated
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	442 °F (227.78 °C) estimated
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	8.42 lbs/gal
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Percent volatile	95.09 % estimated
Specific gravity	1.01
VOC	6 % estimated
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of
Chemical stability	Material is stable under normal conditions

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact	Causes skin irritation. May cause an allergic	skin reaction.	
Eye contact	Causes serious eye damage.		
Ingestion	Expected to be a low ingestion hazard.		
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include vision. Permanent eye damage including blin redness and pain. May cause an allergic skin		
nformation on toxicological eff	fects		
Acute toxicity	Not known.		
Components	Species	Test Results	
2-(2-butoxyéthoxy) Éthanol (CAS	112-34-5)		
Acute			
Dermal			
LD50	Rabbit	2700 mg/kg	
Oral			
LD50	Rat	4500 mg/kg	
Sodium Carbonate (soda Ash) (C	AS 497-19-8)		
<u>Acute</u>			
Oral	Det	4000 ms#rs	
LD50	Rat	4090 mg/kg	
Sodium Chloride (CAS 7647-14-5))		
<u>Acute</u> Oral			
Oral LD50	Rat	3000 mg/kg	
		.	
* Estimates for product may I	be based on additional component data not show	wn.	
Skin corrosion/irritation	Causes skin irritation.		
Serious eye damage/eye irritation	Causes serious eye damage.		
Respiratory or skin sensitizatio	n		
Respiratory sensitization	Not a respiratory sensitizer.		
Skin sensitization	May cause an allergic skin reaction.		
Germ cell mutagenicity	No data available to indicate product or any o mutagenic or genotoxic.	components present at greater than 0.1% are	
Carcinogenicity	Not classifiable as to carcinogenicity to humans.		
Not listed.	Evaluation of Carcinogenicity ed Substances (29 CFR 1910.1001-1050)		
	ogram (NTP) Report on Carcinogens		
Not listed.	This product is not expected to source reprod	uctive or developmental offecto	
Reproductive toxicity	This product is not expected to cause reproduce		
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not an aspiration hazard.		
Chronic effects	Prolonged inhalation may be harmful.		
12. Ecological information			
Ecotoxicity	Harmful to aquatic life with long lasting effect	S.	

Alcohols, C9-11, ethoxylated (C Aquatic Crustacea E Fish Lu Soda, Caustic (CAS 1310-73-2) Aquatic Crustacea E Fish Lu Sodium Carbonate (soda Ash) (Aquatic Crustacea E Fish Lu Sodium Chloride (CAS 7647-14 Aquatic Crustacea E Fish Lu Sodium Chloride (CAS 7647-14 Aquatic Crustacea E Fish Lu Tetrasodium Ethylenediaminete Aquatic Fish Lu * Estimates for product may be rsistence and degradability baccumulative potential Partition coefficient n-octanol 2-(2-butoxyéthoxy) Éthanol bility in soil her adverse effects	C50 C50 C50 C50 C50 C50 C50 C50 C50 C50	Water flea (Daphnia magna) Fathead minnow (Pimephales promelas) Water flea (Ceriodaphnia dubia) Western mosquitofish (Gambusia affinis) Water flea (Ceriodaphnia dubia) Bluegill (Lepomis macrochirus) Water flea (Daphnia magna) Fathead minnow (Pimephales promelas)	34.59 - 47.13 mg/l, 48 hours 125 mg/l, 96 hours 156.6 - 298.9 mg/l, 48 hours 300 mg/l, 96 hours 340.7 - 469.2 mg/l, 48 hours
FishLuAlcohols, C9-11, ethoxylated (CAquaticCrustaceaFishSoda, Caustic (CAS 1310-73-2)AquaticCrustaceaFishCrustaceaFishCrustaceaFishCrustaceaFishCrustaceaEFishCrustaceaEFishCrustaceaEFishCrustaceaEFishCrustaceaEFishCrustaceaEFishLuSodium Chloride (CAS 7647-14AquaticCrustaceaFishLu* Estimates for product may beresistence and degradabilitypaccumulative potentialPartition coefficient n-octano2-(2-butoxyéthoxy) Éthanolbility in soilher adverse effects	CAS 68439-46- C50 C50 C50 C50 C50 (CAS 497-19-8 C50 C50 C50 C50 C50 C50 C50 C50 C50 C50	 3) Water flea (Daphnia magna) Fathead minnow (Pimephales promelas) Water flea (Ceriodaphnia dubia) Western mosquitofish (Gambusia affinis) 3) Water flea (Ceriodaphnia dubia) Bluegill (Lepomis macrochirus) Water flea (Daphnia magna) Fathead minnow (Pimephales promelas) AS 64-02-8) 	2.9 - 8.5 mg/l, 48 hours 6 - 12 mg/l, 96 hours 34.59 - 47.13 mg/l, 48 hours 125 mg/l, 96 hours 156.6 - 298.9 mg/l, 48 hours 300 mg/l, 96 hours 340.7 - 469.2 mg/l, 48 hours 6020 - 7070 mg/l, 96 hours
Alcohols, C9-11, ethoxylated (C Aquatic Crustacea E Fish Lu Soda, Caustic (CAS 1310-73-2) Aquatic Crustacea E Fish Lu Sodium Carbonate (soda Ash) (Aquatic Crustacea E Fish Lu Sodium Chloride (CAS 7647-14 Aquatic Crustacea E Fish Lu Sodium Chloride (CAS 7647-14 Aquatic Crustacea E Fish Lu Sodium Ethylenediaminete Aquatic Fish Lu * Estimates for product may be rsistence and degradability paccumulative potential Partition coefficient n-octano 2-(2-butoxyéthoxy) Éthanol bility in soil her adverse effects	CAS 68439-46- C50 C50 C50 C50 C50 (CAS 497-19-8 C50 C50 C50 C50 C50 C50 C50 C50 C50 C50	 3) Water flea (Daphnia magna) Fathead minnow (Pimephales promelas) Water flea (Ceriodaphnia dubia) Western mosquitofish (Gambusia affinis) 3) Water flea (Ceriodaphnia dubia) Bluegill (Lepomis macrochirus) Water flea (Daphnia magna) Fathead minnow (Pimephales promelas) AS 64-02-8) 	2.9 - 8.5 mg/l, 48 hours 6 - 12 mg/l, 96 hours 34.59 - 47.13 mg/l, 48 hours 125 mg/l, 96 hours 156.6 - 298.9 mg/l, 48 hours 300 mg/l, 96 hours 340.7 - 469.2 mg/l, 48 hours 6020 - 7070 mg/l, 96 hours
AquaticCrustaceaEFishLuSoda, Caustic (CAS 1310-73-2)AquaticECrustaceaEFishLuSodium Carbonate (soda Ash) (AquaticECrustaceaEFishLuSodium Carbonate (soda Ash) (AquaticECrustaceaEFishLuSodium Chloride (CAS 7647-14AquaticECrustaceaEFishLuTetrasodium EthylenediamineteAquaticEFishLu* Estimates for product may bersistence and degradabilitypaccumulative potentialPartition coefficient n-octano2-(2-butoxyéthoxy) Éthanolbility in soilher adverse effects	C50 C50 C50 C50 (CAS 497-19-8 C50 C50 C50 C50 etraacetate (CA	Water flea (Daphnia magna) Fathead minnow (Pimephales promelas) Water flea (Ceriodaphnia dubia) Western mosquitofish (Gambusia affinis) Water flea (Ceriodaphnia dubia) Bluegill (Lepomis macrochirus) Water flea (Daphnia magna) Fathead minnow (Pimephales promelas) AS 64-02-8)	6 - 12 mg/l, 96 hours 34.59 - 47.13 mg/l, 48 hours 125 mg/l, 96 hours 156.6 - 298.9 mg/l, 48 hours 300 mg/l, 96 hours 340.7 - 469.2 mg/l, 48 hours 6020 - 7070 mg/l, 96 hours
CrustaceaEFishLuSoda, Caustic (CAS 1310-73-2)AquaticCrustaceaEFishLuSodium Carbonate (soda Ash) (AquaticCrustaceaEFishLuSodium Carbonate (soda Ash) (AquaticCrustaceaEFishLuSodium Chloride (CAS 7647-14)AquaticCrustaceaEFishLuTetrasodium EthylenediamineteAquaticFishLu* Estimates for product may bersistence and degradabilitypaccumulative potentialPartition coefficient n-octano2-(2-butoxyéthoxy) Éthanolbility in soilher adverse effects	C50) C50 C50 (CAS 497-19-8 C50 C50 C50 C50 etraacetate (CA	Fathead minnow (Pimephales promelas) Water flea (Ceriodaphnia dubia) Western mosquitofish (Gambusia affinis) 3) Water flea (Ceriodaphnia dubia) Bluegill (Lepomis macrochirus) Water flea (Daphnia magna) Fathead minnow (Pimephales promelas) AS 64-02-8)	6 - 12 mg/l, 96 hours 34.59 - 47.13 mg/l, 48 hours 125 mg/l, 96 hours 156.6 - 298.9 mg/l, 48 hours 300 mg/l, 96 hours 340.7 - 469.2 mg/l, 48 hours 6020 - 7070 mg/l, 96 hours
FishLuSoda, Caustic (CAS 1310-73-2)AquaticCrustaceaEFishLuSodium Carbonate (soda Ash) (AquaticCrustaceaEFishLuSodium Chloride (CAS 7647-14)AquaticCCrustaceaEFishLuSodium Chloride (CAS 7647-14)AquaticCCrustaceaEFishLuTetrasodium EthylenediamineteAquaticCFishLu* Estimates for product may beresistence and degradabilitypactution coefficient n-octanoi2-(2-butoxyéthoxy) Éthanolbility in soilher adverse effects	C50) C50 C50 (CAS 497-19-8 C50 C50 C50 C50 etraacetate (CA	Fathead minnow (Pimephales promelas) Water flea (Ceriodaphnia dubia) Western mosquitofish (Gambusia affinis) 3) Water flea (Ceriodaphnia dubia) Bluegill (Lepomis macrochirus) Water flea (Daphnia magna) Fathead minnow (Pimephales promelas) AS 64-02-8)	6 - 12 mg/l, 96 hours 34.59 - 47.13 mg/l, 48 hours 125 mg/l, 96 hours 156.6 - 298.9 mg/l, 48 hours 300 mg/l, 96 hours 340.7 - 469.2 mg/l, 48 hours 6020 - 7070 mg/l, 96 hours
Soda, Caustic (CAS 1310-73-2) Aquatic Crustacea E Fish Lu Sodium Carbonate (soda Ash) (Aquatic Crustacea E Fish Lu Sodium Chloride (CAS 7647-14 Aquatic Crustacea E Fish Lu Tetrasodium Ethylenediaminete Aquatic Fish Lu Tetrasodium Ethylenediaminete Aquatic Fish Lu * Estimates for product may be rsistence and degradability paccumulative potential Partition coefficient n-octano 2-(2-butoxyéthoxy) Éthanol bility in soil her adverse effects) C50 C50 (CAS 497-19-8 C50 C50 C50 C50 etraacetate (CA	Water flea (Ceriodaphnia dubia) Western mosquitofish (Gambusia affinis) 3) Water flea (Ceriodaphnia dubia) Bluegill (Lepomis macrochirus) Water flea (Daphnia magna) Fathead minnow (Pimephales promelas)	34.59 - 47.13 mg/l, 48 hours 125 mg/l, 96 hours 156.6 - 298.9 mg/l, 48 hours 300 mg/l, 96 hours 340.7 - 469.2 mg/l, 48 hours 6020 - 7070 mg/l, 96 hours
Aquatic E Crustacea E Fish Lu Sodium Carbonate (soda Ash) (Aquatic E Crustacea E Fish Lu Sodium Chloride (CAS 7647-14 Aquatic E Crustacea E Fish Lu Sodium Chloride (CAS 7647-14 Aquatic E Crustacea E Fish Lu Tetrasodium Ethylenediaminete Aquatic Aquatic E Fish Lu * Estimates for product may be Fisistence and degradability paccumulative potential Partition coefficient n-octanoi 2-(2-butoxyéthoxy) Éthanol bility in soil her adverse effects Fish	C50 C50 (CAS 497-19-8 C50 C50 C50 C50 etraacetate (CA	Western mosquitofish (Gambusia affinis) 3) Water flea (Ceriodaphnia dubia) Bluegill (Lepomis macrochirus) Water flea (Daphnia magna) Fathead minnow (Pimephales promelas) AS 64-02-8)	125 mg/l, 96 hours 156.6 - 298.9 mg/l, 48 hours 300 mg/l, 96 hours 340.7 - 469.2 mg/l, 48 hours 6020 - 7070 mg/l, 96 hours
Crustacea E Fish Lu Sodium Carbonate (soda Ash) (Aquatic E Crustacea E Fish Lu Sodium Chloride (CAS 7647-14 Aquatic E Crustacea E Fish Lu Sodium Chloride (CAS 7647-14 Aquatic E Crustacea E Fish Lu Tetrasodium Ethylenediaminete Aquatic Aquatic E Fish Lu * Estimates for product may be rsistence and degradability paccumulative potential Partition coefficient n-octano 2-(2-butoxyéthoxy) Éthanol bility in soil her adverse effects Fish	C50 (CAS 497-19-8 C50 C50 C50 C50 etraacetate (CA	Western mosquitofish (Gambusia affinis) 3) Water flea (Ceriodaphnia dubia) Bluegill (Lepomis macrochirus) Water flea (Daphnia magna) Fathead minnow (Pimephales promelas) AS 64-02-8)	125 mg/l, 96 hours 156.6 - 298.9 mg/l, 48 hours 300 mg/l, 96 hours 340.7 - 469.2 mg/l, 48 hours 6020 - 7070 mg/l, 96 hours
FishLuSodium Carbonate (soda Ash) (AquaticCrustaceaEFishLuSodium Chloride (CAS 7647-14AquaticCrustaceaEFishLuTetrasodium EthylenediamineteAquaticFishLu* Estimates for product may beresistence and degradabilitypartition coefficient n-octano2-(2-butoxyéthoxy) Éthanolbility in soilher adverse effects	C50 (CAS 497-19-8 C50 C50 C50 C50 etraacetate (CA	Western mosquitofish (Gambusia affinis) 3) Water flea (Ceriodaphnia dubia) Bluegill (Lepomis macrochirus) Water flea (Daphnia magna) Fathead minnow (Pimephales promelas) AS 64-02-8)	125 mg/l, 96 hours 156.6 - 298.9 mg/l, 48 hours 300 mg/l, 96 hours 340.7 - 469.2 mg/l, 48 hours 6020 - 7070 mg/l, 96 hours
Sodium Carbonate (soda Ash) (Aquatic Crustacea E Fish Lu Sodium Chloride (CAS 7647-14 Aquatic Crustacea E Fish Lu Tetrasodium Ethylenediaminete Aquatic Fish Lu * Estimates for product may be rsistence and degradability baccumulative potential Partition coefficient n-octano 2-(2-butoxyéthoxy) Éthanol bility in soil her adverse effects	(CAS 497-19-8 C50 C50 I-5) C50 C50 etraacetate (CA	Water flea (Ceriodaphnia dubia) Bluegill (Lepomis macrochirus) Water flea (Daphnia magna) Fathead minnow (Pimephales promelas)	156.6 - 298.9 mg/l, 48 hours 300 mg/l, 96 hours 340.7 - 469.2 mg/l, 48 hours 6020 - 7070 mg/l, 96 hours
Aquatic Crustacea E Fish Lu Sodium Chloride (CAS 7647-14 Aquatic E Crustacea E Fish Lu Tetrasodium Ethylenediamineter Aquatic Fish Lu * Estimates for product may be rsistence and degradability paccumulative potential Partition coefficient n-octano 2-(2-butoxyéthoxy) Éthanol b bility in soil her adverse effects	C50 C50 I-5) C50 C50 etraacetate (CA	Water flea (Ceriodaphnia dubia) Bluegill (Lepomis macrochirus) Water flea (Daphnia magna) Fathead minnow (Pimephales promelas) AS 64-02-8)	300 mg/l, 96 hours 340.7 - 469.2 mg/l, 48 hours 6020 - 7070 mg/l, 96 hours
Crustacea E Fish Lu Sodium Chloride (CAS 7647-14 Aquatic E Crustacea E Fish Lu Tetrasodium Ethylenediamineter Aquatic Aquatic E Fish Lu Tetrasodium Ethylenediamineter Aquatic Fish Lu * Estimates for product may be rsistence and degradability paccumulative potential Partition coefficient n-octanol 2-(2-butoxyéthoxy) Éthanol bility in soil her adverse effects Fish	C50 I-5) C50 Etraacetate (CA	Bluegill (Lepomis macrochirus) Water flea (Daphnia magna) Fathead minnow (Pimephales promelas) AS 64-02-8)	300 mg/l, 96 hours 340.7 - 469.2 mg/l, 48 hours 6020 - 7070 mg/l, 96 hours
Fish Lu Sodium Chloride (CAS 7647-14 Aquatic E Crustacea E Fish Lu Tetrasodium Ethylenediaminete Aquatic Aquatic Fish Lu * Estimates for product may be rsistence and degradability paccumulative potential Partition coefficient n-octanoi 2-(2-butoxyéthoxy) Éthanol bility in soil her adverse effects Fish	C50 I-5) C50 Etraacetate (CA	Bluegill (Lepomis macrochirus) Water flea (Daphnia magna) Fathead minnow (Pimephales promelas) AS 64-02-8)	300 mg/l, 96 hours 340.7 - 469.2 mg/l, 48 hours 6020 - 7070 mg/l, 96 hours
Sodium Chloride (CAS 7647-14 Aquatic Crustacea E Fish Lu Tetrasodium Ethylenediaminete Aquatic Fish Lu * Estimates for product may be rsistence and degradability baccumulative potential Partition coefficient n-octano 2-(2-butoxyéthoxy) Éthanol bility in soil her adverse effects	⊢5) C50 C50 etraacetate (CA	Water flea (Daphnia magna) Fathead minnow (Pimephales promelas) AS 64-02-8)	340.7 - 469.2 mg/l, 48 hours 6020 - 7070 mg/l, 96 hours
Aquatic Crustacea E Fish Lu Tetrasodium Ethylenediamineter Aquatic Fish Lu * Estimates for product may be rsistence and degradability baccumulative potential Partition coefficient n-octano 2-(2-butoxyéthoxy) Éthanol bility in soil her adverse effects	C50 C50 etraacetate (CA C50	Fathead minnow (Pimephales promelas) AS 64-02-8)	6020 - 7070 mg/l, 96 hours
Crustacea E Fish Lu Tetrasodium Ethylenediamineter Aquatic Aquatic Fish Lu * Estimates for product may be rsistence and degradability Daccumulative potential Partition coefficient n-octano 2-(2-butoxyéthoxy) Éthanol Data (2-butoxyéthoxy) bility in soil Her adverse effects	C50 etraacetate (CA C50	Fathead minnow (Pimephales promelas) AS 64-02-8)	6020 - 7070 mg/l, 96 hours
Fish Lu Tetrasodium Ethylenediaminete Aquatic Fish Lu * Estimates for product may be rsistence and degradability baccumulative potential Partition coefficient n-octano 2-(2-butoxyéthoxy) Éthanol bility in soil her adverse effects	C50 etraacetate (CA C50	Fathead minnow (Pimephales promelas) AS 64-02-8)	6020 - 7070 mg/l, 96 hours
Tetrasodium Ethylenediaminete Aquatic Fish Lu * Estimates for product may be rsistence and degradability baccumulative potential Partition coefficient n-octano 2-(2-butoxyéthoxy) Éthanol bility in soil ner adverse effects	etraacetate (CA C50	AS 64-02-8)	
Aquatic Fish Lu * Estimates for product may be rsistence and degradability baccumulative potential Partition coefficient n-octanol 2-(2-butoxyéthoxy) Éthanol bility in soil her adverse effects	C50		472 - 500 ma/l. 96 hours
Fish Lu * Estimates for product may be rsistence and degradability paccumulative potential Partition coefficient n-octanol 2-(2-butoxyéthoxy) Éthanol obility in soil her adverse effects		Bluegill (Lepomis macrochirus)	472 - 500 ma/l. 96 hours
* Estimates for product may be rsistence and degradability paccumulative potential Partition coefficient n-octano 2-(2-butoxyéthoxy) Éthanol obility in soil her adverse effects		Bluegill (Lepomis macrochirus)	472 - 500 ma/l. 96 hours
rsistence and degradability baccumulative potential Partition coefficient n-octano 2-(2-butoxyéthoxy) Éthanol obility in soil her adverse effects			
Daccumulative potential Partition coefficient n-octano 2-(2-butoxyéthoxy) Éthanol obility in soil her adverse effects	based on add	itional component data not shown.	
Partition coefficient n-octano 2-(2-butoxyéthoxy) Éthanol obility in soil her adverse effects			
2-(2-butoxyéthoxy) Éthanol b bility in soil her adverse effects			
bbility in soil her adverse effects	l / water (log l	Kow) 0.56	
her adverse effects	No data availa		
Disposal considerations	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		
. Disposal considerations	6		
	this material to with chemical	claim or dispose in sealed containers at lic o drain into sewers/water supplies. Do not or used container. Dispose of contents/con /national/international regulations.	contaminate ponds, waterways or ditch
	Dispose in accordance with all applicable regulations.		
	The waste code should be assigned in discussion between the user, the producer and the wast disposal company.		
oducts		accordance with local regulations. Empty c les. This material and its container must be uctions).	
		l containers may retain product residue, fol ty containers should be taken to an approv	

14 sport informatio

DOT

Not regulated as dangerous goods.

ΙΑΤΑ Not regulated as dangerous goods. IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

15. Regulatory Information		ardous Chemical" on d	efined by the OSHA Haz	ard Communication
US federal regulations	Standard, 29 CFR 191	0.1200.	enneu by the OSHA Haz	
TSCA Section 12(b) Export	Notification (40 CFR 70	7, Subpt. D)		
Not regulated.	anaa Liat (40 CED 202 4	N N		
CERCLA Hazardous Subst 2-(2-butoxyéthoxy) Étha	-	-		
Soda, Caustic (CAS 131 SARA 304 Emergency relea	10-73-2)	Listed. Listed.		
Not regulated. OSHA Specifically Regulat	ed Substances (29 CFR	1910.1001-1050)		
Not regulated.	·	,		
Superfund Amendments and R	eauthorization Act of 19	986 (SARA)		
Hazard categories	Immediate Hazard - Yo Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No	es		
SARA 302 Extremely hazar Not listed.	rdous substance			
SARA 311/312 Hazardous chemical	No			
SARA 313 (TRI reporting) Chemical name		CAS number	% by wt.	
2-(2-butoxyéthoxy) Étha	nol	112-34-5	5 - < 10	
Other federal regulations				
Clean Air Act (CAA) Sectio	n 112 Hazardous Air Po	llutants (HAPs) List		
2-(2-butoxyéthoxy) Étha Clean Air Act (CAA) Sectio	. ,	ease Prevention (40 C	FR 68.130)	
Not regulated.				
Safe Drinking Water Act (SDWA)	Not regulated.			
US state regulations				
US. California. Candidate C (a))		nsumer Products Re	gulations (Cal. Code Re	egs, tit. 22, 69502.3, subd.
2-(2-butoxyéthoxy) Étha Soda, Caustic (CAS 131				
International Inventories				
Country(s) or region	Inventory name			On inventory (yes/no)
Australia	Australian Inventory of		s (AICS)	N
Canada	Domestic Substances			Ye
Canada	Non-Domestic Substa	. ,		N
China	Inventory of Existing C		. ,	N
Europe	European Inventory of Substances (EINECS)		Chemical	N
Europe	European List of Notifi	ed Chemical Substanc	es (ELINCS)	N
Japan	Inventory of Existing a	nd New Chemical Sub	stances (ENCS)	N
Korea	Existing Chemicals Lis	st (ECL)		N
New Zealand	New Zealand Inventor	у		Ye
Philippines	Philippine Inventory of (PICCS)	Chemicals and Chem	ical Substances	N

Country(s) or region

Inventory name

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

	• • •
Issue date	04-28-2015
Revision date	05-10-2017
Version #	04
HMIS® ratings	Health: 3 Flammability: 0 Physical hazard: 0
NFPA ratings	Health: 3 Flammability: 0 Instability: 0
NFPA ratings	300
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Revision information	This document has undergone significant changes and should be reviewed in its entirety.