

Motsenbocker's

1-2-3 STAIN REMOVER KIT

At the present time there is no Material Safety Data Sheet available for 1-2-3 STAIN REMOVER KIT. The following Safety Sheet(s) apply to the ingredient(s) of this product:

INGREDIENT	COMPAS CODE
Motsenbocker's Lift Off #1 (Code: MLO1A) from Motsenbocker's	48010020
Motsenbocker's Lift Off #2 (Non aerosol) from Motsenbocker's	48010031
Motsenbocker's Lift Off #3 (Code: MLO3A) from Motsenbocker's	48010060

For more information contact the manufacturer of 1-2-3 STAIN REMOVER KIT:
MOTSENBOCKER'S LIFT OFF
P.O. BOX 90947
SAN DIEGO, CA 92169
TELEPHONE NUMBER: (858) 581-0222
TELEFAX: (858) 483-6965

DISCLAIMER OF EXPRESSED AND IMPLIED WARRANTIES:
Although preparer and owner have taken reasonable care in the preparation of this document, we extend no warranties and make no representation as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each user should make a determination as to the suitability of the information for their particular purpose(s). This MSDS is the most recent received from the product manufacturer or distributor.

COMPAS Code: 48010121

MATERIAL SAFETY DATA SHEET

24 HOUR EMERGENCY NUMBER: INFOTRAC @ (800) 535-5053
(Code: MLO1AMSDS)

MOTSENBOCKER'S LIFT OFF
P.O. BOX 90947
SAN DIEGO, CA 92169
DATE: April 5, 2000

Product Information:
Toll Free: (800) 346-1633
Phone: (858) 581-0222
Fax: (858) 483-6965

1.0 PRODUCT IDENTIFICATION

- 1.1 Product Name: MOTSENBOCKER=S LIFT OFF #1
1.2 Product Type: Food, Beverage & Protein Stain Remover, Water-based, Aerosol Can
1.3 Hazard Rating: Health 1 Fire 0 Reactivity 0
-

++ SARA 313 TOXIC CHEMICALS, If Present, Are Preceded by A#@ ++

2.0 HAZARDOUS COMPONENTS

- | | | | (mg/m3) | |
|-----|---|------------------------------|---------|-------|
| | | | % PEL | TWA |
| 2.1 | Acetone 67-64-1 * | ACGIH STEL = 2380 mg/m3 < 10 | 2400 | 1780* |
| 2.2 | This product also contains trade secret ingredients.
NJTSRN #405-01,406-01 | | | |
-

PEL = OSHA 8 Hour Average in Air

STEL = 15 Minute Average in Air

3.0 PHYSICAL DATA

- 3.1 Appearance: Aerosol spraying a clear liquid, a mild odor.
3.2 Solubility in Water: Mixes with water in all proportions.
3.3 pH: 11.9 - 12.1
3.4 Initial Boiling Point: 199 deg F (93 deg C)
3.5 Specific Gravity: 0.95
3.6 Vapor Density: Heavier than air
-

4.0 FIRE AND EXPLOSION DATA

- 4.1 Special Fire Hazards: Contents under pressure.
4.2 Fire Fighting Methods: This water-based product has been tested by DOT methods and shown not to support combustion.
-

5.0 REACTIVITY DATA

- 5.1 Stability: Stable under normal conditions of handling.
5.2 Conditions to Avoid: Store in a cool, dry place. Do not use on hot surfaces or in closed areas without adequate ventilation.
-

6.0 SPILL OR LEAK PROCEDURES (USE PROPER PROTECTIVE EQUIPMENT)

- 6.1 Cleanup in case of a multi-container accident and release: Ventilate. Avoid breathing vapors; remove liquid with inert absorbent. Smaller amounts may be flushed safely to the sewer.
- 6.2 Waste Disposal: Do not puncture or incinerate container. Wrap in newspaper; put in trash.
-

7.0 HEALTH HAZARD DATA

CAUTION

- 7.1 Effects of Overexposure to Concentrate:
Skin: Contact with product can dry and defat skin, causing irritation or dermatitis.
Eyes: Causes eye irritation.
IF SWALLOWED: May cause stomach distress.
If Inhaled: Excessive airborne concentrations may cause breathing difficulties, dizziness or headaches.
-

8.0 FIRST AID

- 8.1 Eyes: Flush immediately with plenty of cool running water. Remove contact lenses. Continue flushing for 15 minutes.
- 8.2 Skin: Flush skin with plenty of cool running water. Wash thoroughly with soap and water. Wash contaminated clothing well before re-use.
- 8.3 If SWALLOWED: Rinse mouth, then drink 1 or 2 large glasses of water. DO NOT induce vomiting. Never give anything by mouth to an unconscious person.
- 8.4 If affected, remove from exposure. Restore breathing. Keep warm and quiet.

IF IRRITATION OR DISCOMFORT PERSISTS, CALL A PHYSICIAN.

9.0 PROTECTIVE MEASURES

- 9.1 Respiratory: Ventilate to maintain exposure below limits.
- 9.2 When using the product, wear rubber gloves and eye protection such as splash proof glasses.
-

10.0 ADDITIONAL INFORMATION / PRECAUTIONS

- 10.1 DOT Class: Not Regulated.

KEEP OUT OF REACH OF CHILDREN

The above information is believed to be correct with respect to the formula used to manufacture the product. As data, standards and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.

MATERIAL SAFETY DATA SHEET

24 HOUR EMERGENCY NUMBER: INFOTRAC @ (800) 535-5053
(Code: MLO2MSDS)

MOTSENBOCKER'S LIFT OFF
P.O. BOX 90947
SAN DIEGO, CA 92169
DATE: January 1, 2003

Product Information:
Toll Free: (800) 346-1633
Phone: (858) 581-0222
Fax: (858) 483-6965

1.0 PRODUCT IDENTIFICATION

- 1.1 Product Name: MOTSENBOCKER'S LIFT OFF #2 (Non aerosol)
1.2 Product Type: Adhesives, Grease, Oily Stains & Tape Remover
1.3 Hazard Rating: Health 1 Fire 0 Reactivity 0
-

No ingredients in this product are subject to SARA 313 (40 CFR 372.65C) SUPPLIER NOTIFICATION

2.0 HAZARDOUS COMPONENTS

	ACGIH	OSHA	
	TLV	PEL	UNITS
2.1			
2.2 @Trade Secret	Not Established		
2.3	1000	1000	PPM
2.4 @Trade Secret	Not Established		
2.5	The identity of the component(s) responsible for the penetrating properties of this product is considered to be a trade secret. This product also contains trade secret ingredients. NJTSRN #407-01,408-01, 407-02, 407-03, 415-01, 421-01		

3.0 PHYSICAL DATA

- 3.1 Appearance: Clear liquid, pungent odor
3.2 Solubility in Water: Partial.
3.3 100% pH: Does not apply Use Solution pH: N/A
3.4 Initial Boiling Point: 160-360 deg F (71-182 deg C)
3.5 Specific Gravity: 0.95
3.6 Vapor Density: Heavier than air
-

4.0 FIRE AND EXPLOSION DATA

- 4.1 Special Fire Hazards: High temperatures may generate hazardous decomposition products including hydrogen chloride or phosgene.
4.2 Flash Point: 184 F TCC
-

5.0 REACTIVITY DATA

- 5.1 Stability: Stable under normal conditions of handling.
5.2 Conditions to Avoid: Store in a cool, dry place.

6.0 SPILL OR LEAK PROCEDURES (USE PROPER PROTECTIVE EQUIPMENT)

- 6.1 Cleanup: Ventilate. Use inert absorbent.
 - 6.2 Waste Disposal: Consult state/ local authorities for limits on disposal of chemical waste. Do not put into sewer.
-

7.0 HEALTH HAZARD DATA

CAUTION

- 7.1 Effects of Overexposure to Concentrate:
 - Skin: Contact with product can dry and defat skin, causing irritation or dermatitis.
 - Eyes: Causes eye irritation.
 - IF SWALLOWED: May cause stomach distress.
 - If Inhaled: Prolonged exposure to vapors may cause dizziness, loss of coordination and increased reaction time.
-

8.0 FIRST AID

- 8.1 Eyes: Flush immediately with plenty of cool running water. Remove contact lenses. Continue flushing for 15 minutes.
- 8.2 Skin: Flush skin with plenty of cool running water. Wash thoroughly with soap and water. Wash contaminated clothing well before re-use.
- 8.3 If SWALLOWED: Rinse mouth, then drink 1 or 2 large glasses of water. DO NOT induce vomiting. Never give anything by mouth to an unconscious person.

IF IRRITATION OR DISCOMFORT PERSISTS, CALL A PHYSICIAN.

9.0 PROTECTIVE MEASURES

- 9.1 Respiratory: Ventilate to maintain exposure below limits.
 - 9.2 When using the product, wear rubber gloves and eye protection such as splash proof glasses.
-

10.0 ADDITIONAL INFORMATION / PRECAUTIONS

- 10.1 DOT Class: Not regulated.
- 10.2 Purposes of 03/15/01 issue: Change in formulation. VOC Compliant. EPA New Standards. California effective date 01/01/01.
- 10.3 Replaces previously dated March 15, 2001.

KEEP OUT OF REACH OF CHILDREN

The above information is believed to be correct with respect to the formula used to manufacture the product. As data, standards and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.

MATERIAL SAFETY DATA SHEET

24 HOUR EMERGENCY NUMBER: INFOTRAC @ (800) 535-5053
(Code: MLO3AMSDS)

MOTSENBOCKER'S LIFT OFF
P.O. BOX 90947
SAN DIEGO, CA 92169
DATE: April 5, 2000

Product Information:
Toll Free: (800) 346-1633
Phone: (858) 581-0222
Fax: (858) 483-6965

1.0 PRODUCT IDENTIFICATION

- 1.1 Product Name: MOTSENBOCKER'S LIFT OFF #3
1.2 Product Type: Pen, Ink & Marker Graffiti Remover, Water-based, Aerosol Can
1.3 Hazard Rating: Health 1 Fire 0 Reactivity 0
-

++ SARA 313 TOXIC CHEMICALS, If Present, Are Preceded by "#" ++

2.0 HAZARDOUS COMPONENTS

- | | | | (mg/m ³) | |
|-----|---|--|----------------------|-------|
| | | | % PEL | TWA |
| 2.1 | Acetone 67-64-1 * | ACGIH STEL = 2380 mg/m ³ < 10 | 2400 | 1780* |
| 2.2 | This product also contains trade secret ingredients.
NJTSRN #409-01,410-01 | | | |
-

PEL = OSHA 8 Hour Average in Air

STEL = 15 Minute Average in Air

3.0 PHYSICAL DATA

- 3.1 Appearance: Aerosol spraying a clear liquid, a mild odor.
3.2 Solubility in Water: Mixes with water in all proportions.
3.3 pH: 11.9 - 12.1 Used at 100%
3.4 Initial Boiling Point: 194 deg F (90 deg C)
3.5 Specific Gravity: 0.94
3.6 Vapor Density: Heavier than air
-

4.0 FIRE AND EXPLOSION DATA

- 4.1 Special Fire Hazards: Contents under pressure.
4.2 Fire Fighting Methods: This water-based product has been tested by DOT methods and shown not to support combustion.
-

5.0 REACTIVITY DATA

- 5.1 Stability: Stable under normal conditions of handling.
5.2 Conditions to Avoid: Store in a cool, dry place. Do not use on hot surfaces or in closed areas without adequate ventilation.
-

6.0 SPILL OR LEAK PROCEDURES (USE PROPER PROTECTIVE EQUIPMENT)

- 6.1 Cleanup in case of a multi-container accident and release: Ventilate. Avoid breathing vapors; remove liquid with inert absorbent. Smaller amounts may be flushed safely to the sewer.
 - 6.2 Waste Disposal: Do not puncture or incinerate container. Wrap in newspaper; put in trash.
-

7.0 HEALTH HAZARD DATA

CAUTION

- 7.1 Effects of Overexposure to Concentrate:
Skin: Contact with product can dry and defat skin, causing irritation or dermatitis.
Eyes: Causes eye irritation.
IF SWALLOWED: May cause stomach distress.
If Inhaled: Excessive airborne concentrations may cause breathing difficulties, dizziness or headaches.
-

8.0 FIRST AID

- 8.1 Eyes: Flush immediately with plenty of cool running water. Remove contact lenses. Continue flushing for 15 minutes.
- 8.2 Skin: Flush skin with plenty of cool running water. Wash thoroughly with soap and water. Wash contaminated clothing well before re-use.
- 8.3 If SWALLOWED: Rinse mouth, then drink 1 or 2 large glasses of water. DO NOT induce vomiting. Never give anything by mouth to an unconscious person.
- 8.4 If affected, remove from exposure. Restore breathing. Keep warm and quiet.

IF IRRITATION OR DISCOMFORT PERSISTS, CALL A PHYSICIAN.

9.0 PROTECTIVE MEASURES

- 9.1 Respiratory: Ventilate to maintain exposure below limits.
 - 9.2 When using the product, wear rubber gloves and eye protection such as splash proof glasses.
-

10.0 ADDITIONAL INFORMATION / PRECAUTIONS

- 10.1 DOT Class: Not Regulated.

KEEP OUT OF REACH OF CHILDREN

The above information is believed to be correct with respect to the formula used to manufacture the product. As data, standards and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.
