## Sulfuric Acid, 1M



## Section 1 Product Description

Product Name: Sulfuric Acid, 1M

**Recommended Use:** Science education applications

Synonyms: Oil of Vitriol, Sulphuric Acid, Sulfuric Acid 2N Carolina Biological Supply Company

2700 York Road, Burlington, NC 27215

1-800-227-1150

Chemical Information: 800-227-1150 (8am-5pm (ET) M-F)

Chemtrec: 800-424-9300 (Transportation Spill Response 24 hours)

### Section 2

### **Hazard Identification**

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

## **DANGER**





Causes severe skin burns and eye damage. Causes serious eye damage. May cause cancer. Harmful to aquatic life.

#### **GHS Classification:**

Skin Corrosion/Irritation Category 1A, Serious Eye Damage/Eye Irritation Category 1, Carcinogenicity Category 1A, Hazardous to the aquatic environment - Acute Category 3

Other Safety Precautions: IF exposed or concerned: Get medical advice/attention.

### Section 3

## **Composition / Information on Ingredients**

 Chemical Name
 CAS #
 %

 Water
 7732-18-5
 94.8

 Sulfuric Acid, Concentrated 18M
 7664-93-9
 5.2

### Section 4

### First Aid Measures

#### **Emergency and First Aid Procedures**

**Inhalation:** IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Eyes: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

Skin Contact: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with

water/shower. Wash contaminated clothing before reuse. IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

### Section 5

Ingestion:

## Firefighting Procedures

**Extinguishing Media:** Use dry chemical, CO2 or appropriate foam.

Fire Fighting Methods and Protection: Firefighters should wear full protective equipment and NIOSH approved self-contained

breathing apparatus.

Fire and/or Explosion Hazards: Fire or excessive heat may produce hazardous decomposition products.

Hazardous Combustion Products: Sulfur containing gases

### Section 6

# **Spill or Leak Procedures**

Sulfuric Acid, 1M Page 1 of 4

Steps to Take in Case Material Is Released or Spilled:

Exposure to the spilled material may be severely irritating or toxic. Follow personal protective equipment recommendations found in Section 8 of this SDS. Personal protective equipment needs must be evaluated based on information provided on this sheet and the special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred, and the expertise of employees in the area responding to the spill. Never exceed any occupational exposure limits.

Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Gather and store in a sealed container pending a waste disposal evaluation. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Do not allow the spilled product to enter public drainage system or open waterways.

**Section 7** 

## **Handling and Storage**

Handling: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Avoid release to the

environment. Wear protective gloves/protective clothing/eye protection/face protection. Use personal protective

equipment as required.

Storage: Store locked up. Keep container tightly closed in a cool, well-ventilated place.

Storage Code: White - Corrosive. Separate acids from bases; separate oxidizer acids from organic acids.

### Section 8 Protection Information

ACGIH OSHA PEL

Chemical Name(TWA)(STEL)(TWA)(STEL)Sulfuric Acid, Concentrated 18M0.2 mg/m3 TWAN/A1 mg/m3 TWAN/A

(thoracic fraction)

Control Parameters

Respirator Type(s):

**Eye Protection:** 

Engineering Measures: Local exhaust ventilation or other engineering controls are normally required when

handling or using this product to avoid overexposure.

Personal Protective Equipment (PPE):

Respiratory Protection:

Lab coat, apron, eye wash, safety shower.

Respiratory protection may be required to avoid overexposure when handling this

product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms. None required where adequate ventilation is provided. If airborne concentrations are above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection.

Wear chemical splash goggles when handling this product. Have an eye wash station

available.

**Skin Protection:** Avoid skin contact by wearing chemically resistant gloves, an apron and other protective

equipment depending upon conditions of use. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving

work.

Gloves: Natural latex., Neoprene, Nitrile, Butyl rubber

### Section 9

### **Physical Data**

Formula: See Section 3

Molecular Weight: 98.07 (Sulfuric Acid)

Appearance: Colorless Liquid

Odor: None

Odor Threshold: No data available

**pH:** 0

Melting Point: No data available
Boiling Point: Estimated > 100 C 100 C

Flash Point: No data available

Flammable Limits in Air: No data available

Vapor Pressure: No data available

Evaporation Rate (BuAc=1): No data available Vapor Density (Air=1): No data available

Specific Gravity: >1
Solubility in Water: Soluble

Log Pow (calculated): No data available
Autoignition Temperature: No data available
Decomposition Temperature: No data available

Viscosity: No data available

Percent Volatile by Volume: No data available

### Section 10

## **Reactivity Data**

**Reactivity:** Moderately reactive - See below **Chemical Stability:** Stable under normal conditions.

Conditions to Avoid: Contact with water Reaction with water is exothermic.

Sulfuric Acid, 1M Page 2 of 4

**Incompatible Materials:** Water-reactive materials, Water, Organic Compounds, Strong reducing agents,

> Acetaldehydes, Amines Sulfur containing gases

**Hazardous Decomposition Products:** Will not occur **Hazardous Polymerization:** 

### Section 11

## Toxicity Data

Routes of Entry Inhalation.

Symptoms (Acute): Respiratory Irritation, Dermititis, Coffee Ground Emesis

**Delayed Effects: Dental Erosion** Respiratory Irritation

**Acute Toxicity:** 

**Chemical Name CAS Number** Oral LD50 **Dermal LD50 Inhalation LC50** 

Water 7732-18-5 Oral LD50 Rat

90000 mg/kg

Oral LD50 Rat Sulfuric Acid, Concentrated 18M 7664-93-9 INHALATION

2140 mg/kg LC50 Mouse 320

MG/M3 **INHALATION** LC50 Rat 510

MG/M3 INHALATION LC50 GUINEA PIG

18 MG/M3

Carcinogenicity:

**Chemical Name CAS Number IARC** NTP **OSHA** 

Sulfuric Acid. Concentrated 18M 7664-93-9 Not listed Not listed Listed

**Chronic Effects:** 

Mutagenicity: No evidence of a mutagenic effect.

Teratogenicity: No evidence of a teratogenic effect (birth defect).

Sensitization: No evidence of a sensitization effect.

Reproductive: No evidence of negative reproductive effects.

**Target Organ Effects:** 

Acute: No information available

Chronic: Lungs

## Section 12

## **Ecological Data**

Overview: Moderate ecological hazard. This product may be dangerous to plants and/or wildlife. Mobility: This material is expected to have high mobility in soil. It absorbs weakly to most soil types. Persistence:

Biodegradation, adsorption to sediment, and bioconcentration to aquatic organisms should not be

significant.

Bioaccumulation: Bioconcentration is not expected to occur.

Degradability: Does not biodegrade readily.

Other Adverse Effects: No data

Chemical Name **CAS Number Eco Toxicity** Water 7732-18-5 No data available

Sulfuric Acid, Concentrated 18M 7664-93-9 96 HR LC50 BRACHYDANIO RERIO > 500 MG/L [STATIC]

24 HR EC50 DAPHNIA MAGNA 29 MG/L

### Section 13

## Disposal Information

**Disposal Methods:** Dispose in accordance with all applicable Federal, State and Local regulations. Always

contact a permitted waste disposer (TSD) to assure compliance.

Waste Disposal Code(s): If discarded, this product is considered a RCRA corrosive waste, D002.

### Section 14

## Transport Information

Sulfuric Acid, 1M Page 3 of 4

**Ground - DOT Proper Shipping Name:** 

UN2796 Sulfuric Acid Class 8 P.G. II Air - IATA Proper Shipping Name:

UN2796 Sulfuric Acid Class 8 P.G. II

Section 15	Regulatory Information
------------	------------------------

**TSCA Status:** All components in this product are on the TSCA Inventory.

Chemical Name CAS § 313 Name § 304 RQ CERCLA RQ § 302 TPQ CAA 112(2)

Number TQ

Sulfuric Acid, Concentrated 18M 7664-93-9 Sulfuric acid 1000 lb 1000 lb final 1000 lb TPQ No

RQ RQ; (454 kg)

## Section 16 Additional Information

Revised: 09/09/2015 Replaces: 08/04/2015 Printed: 10-29-2015

The information provided in this (Material) Safety Data Sheet represents a compilation of data drawn directly from various sources available to us. Carolina Biological Supply makes no representation or guarantee as to the suitability of this information to a particular application of the substance covered in the (Material) Safety Data Sheet.

**Glossary** 

**ACGIH** American Conference of Governmental NTP National Toxicology Program Industrial Hygienists Occupational Safety and Health Administration **OSHA** CAS Chemical Abstract Service Number PEL Permissible Exposure Limit **CERCLA** Comprehensive Environmental Response. ppm Parts per million Resource Conservation and Recovery Act Compensation, and Liability Act **RCRA** Superfund Amendments and Reauthorization Act DOT U.S. Department of Transportation SARA

IARC International Agency for Research on Cancer TLV Threshold Limit Value TSCA Toxic Substances Control Act

IDLH Immediately dangerous to life and health

Sulfuric Acid, 1M Page 4 of 4